

EASY WOVEN PILLOW SHAMS...

DESIGNED BY GEORGINA LEWIS & JAN DANNENMANN

1 MATERIALS NEEDED

FORM BOARD 20" X 25"
(CAN TAPE TWO HALFS TOGETHER)
BLACK SHARPIE
INTERFACE SHAPE FLEX 1/2 YARD
(FEATHER TO MEDIUM WEIGHT)
22 2" X 20" FABRIC STRIPS
2 3" X 20" FABRIC STRIPS
16 2" X 24" FABRIC STRIPS
2 3" X 24" FABRIC STRIPS
STRAIGHT PINS

- DRAW STRAIGHT LINES, 3 INCHES APART ON THE FOAM BOARD.
- CENTER AND PIN THE CORNERS OF THE HEAT AND BOND.
- ONTO THE BOARD, BUMPY SIDE UP STARCH YOUR FABRIC STRIPS.
- FOLD EDGES, OF 2" STRIPS, INTO MIDDLE, WRONG SIDES TOGETHER, AND PRESS. THIS WILL GIVE YOU A FINISHED 1" STRIP.
- FOLD EDGES, OF 3" STRIPS, INTO MIDDLE, WRONG SIDES TOGETHER, AND PRESS. THIS WILL GIVE YOU A FINISHED 1 1/2" STRIP
- PRESS SMALL STRIPS OF SHAPE FLEX TO THE BACK OF EACH STRIP TO HOLD UNFINISHED EDGES IN PLACE

2 PREP STEPS

EASY WOVEN PILLOW SHAMS...

DESIGNED BY GEORGINA LEWIS & JAN DANNENMANN

GETTING READY TO WEAVE



- LAYOUT ALL OF THE 24 20" STRIPS ON TOP OF THE HEAT AND BOND, STARTING AND ENDING WITH THE 1 1/2 WIDE STRIPS. THESE SHOULD GO VERTICLE.
- ONCE YOU ARE PLEASED WITH THE LAYOUT, PIN THE STRIPS DOWN AT THE TOP AND BOTTOM OF EACH STRIP
- LAYOUT THE 18 24" HORIZONTAL STRIPS, STARTING AND ENDING WITH THE 1 1/2" WIDE STRIPS.
- ONCE YOU HAVE THE LAYOUT YOU LIKE... START WEAVING

- TOP STRIP:
- START BY WEAVING RIGHT TO LEFT. EITHER ATTACH A BODKIN OR WEFTY NEEDLE TO YOUR TOP STRIP OF FABRIC
- AND PULL IT THROUGH DOING THE FOLLOWING
- GO OVER THE FIRST STRIP, UNDER THE NEXT, OVER, UNDER, OVER, UNDER UNTIL YOU FINISH THE ROW.
- PIN THE STRIP DOWN ON BOTH ENDS KEEPING ALL THE STRIPS TAUT.
- 2ND ROW, USE 1" STRIP" START BY GOING UNDER THE FIRST STRIP THEN UNDER, OVER, UNDER.
- 3RD ROW, USE 1" STRIP AND FOLLOW 1ST ROW PATTERN
- REPEAT THIS PATTERN FOR 17 ROWS
- 18TH ROW, USE 1 1/2" STRIP.



EASY WOVEN PILLOW SHAMS...

DESIGNED BY GEORGINA LEWIS & JAN DANNENMANN

5
AFTER THE
WEAVING IS DONE

- LAYOUT ALL OF THE 24 20" STRIPS ON TOP OF THE HEAT AND BOND, STARTING AND ENDING WITH THE 1 1/2 WIDE STRIPS. THESE SHOULD GO VERTICLE.
 - ONCE YOU ARE PLEASED WITH THE LAYOUT, PIN THE STRIPS DOWN AT THE TOP AND BOTTOM OF EACH STRIP
 - LAYOUT THE 18 24" HORIZONTAL STRIPS, STARTING AND ENDING WITH THE 1 1/2" WIDE STRIPS.
 - ONCE YOU HAVE THE LAYOUT YOU LIKE... START WEAVING
-

YOUR PILLOW TOP IS NOW
READY TO USE TO MAKE A
PILLOW SHAM.
THIS IS THE TIME TO EMBELLISH
YOUR WEAVE WITH PIPING,
TRIM, BEADS, QUILTING.
HAVE FUN AND ENJOY.

6
PILLOW TOP IS
NOW READY

REFERENCE

diagrams

DESIGNED BY GEORGINA LEWIS & JAN DANNENMANN


CUT INTERFACE FOR
FABRIC STRIPS




PRESS INTERFACE ON
SEAM




PREP STEPS




VERTICLE STRIPS



HORIZONTAL STRIPS



WOVEN STRIPS



EASY WOVEN PILLOW SHAMS...

DESIGNED BY GEORGINA LEWIS & JAN DANNTHEMAN

MATERIALS NEEDED

FORM BOARD 20" X 25"
(CAN TAPE TWO HALFS TOGETHER)
BLACK SHARPIE
INTERFACE SHAPE FLEX 1/2 YARD
(FEATHER TO MEDIUM WEIGHT)
22 2" X 20" FABRIC STRIPS
2 3" X 20" FABRIC STRIPS
16 2" X 24" FABRIC STRIPS
2 3" X 24" FABRIC STRIPS
STRAIGHT PINS



EASY WOVEN PILLOW SHAMS © 2019-ALL RIGHTS RESERVED
THIS PATTERN IS FOR PERSONAL USE ONLY, NO PART OF THE PATTERN
MAY BE COPIED AND/OR DISTRIBUTED IN ANY MANNER WITHOUT
DIRECT PERMISSION FROM THE DESIGNER. IF USED AS THE BASIS FOR
A CLASS, EACH STUDENT MUST PURCHASE THEIR OWN PATTERN.